

Mark Joseph Oreglia

(Last updated 26 September 2018)

The University of Chicago, The Enrico Fermi Institute, and the College
5640 South Ellis Avenue
Chicago, Illinois, 60637
m-oreglia@uchicago.edu
1-773-702-7446

Birth and Nationality

26 June 1953, Redwood City, CA
United States citizen

Education

Stanford University, Ph.D. in Physics, 1981
Stanford University, M.S. in Physics, 1975
Stanford University, B.S. in Physics, 1974

Appointments

Professor, University of Chicago, 2001-present
Associate Professor, University of Chicago, 1991-2001
Assistant Professor, University of Chicago, 1984-91
Research Associate, University of Chicago, 1983-84
Enrico Fermi Fellow, University of Chicago, 1981-83
Research Associate, SLAC, Stanford University, 1981

Administrative Appointments

Chair, College Curriculum Committee 2017-present
Chair, College Disciplinary Committee 2017-present
ATLAS Tile Speakers Committee 2016-present
USATLAS Level-2 Construction Manager for TileCal Upgrades 2015-present
ATLAS Tile Upgrade Coordination Group, 2015-present
USATLAS Level-2 R&D Manager for TileCal Upgrades, 2012-2015
ATLAS Experiment Manager for Tile Upgrades, 2012-2015
ATLAS Speakers Committee, 2011-2014

Acting Director, The Enrico Fermi Institute, 2009-2011
Physical Sciences Collegiate Division Governing Committee (U Chgo.) 2004-present
Co-chair, American Linear Collider Physics/Detector Group, 2002-2010
LEP Photonic Higgs Working Group Convenor, 2000-2002
GLAST Facility Science Team (NASA), 1998-99
Chair, Council on Teaching (U. Chgo), 1997-99, 2007-8, 2016-
GLAST Instrument Detector Steering Ctte, 1996, 98-99
Experimental Physics Advisory Ctte, SLAC, 1995-1997
Chair, BaBar Calorimetry Review Ctte, SLAC, 1995
Council for Research (U. Chgo), 1992-95
Steering Ctte., SLAC/PEP-II Experiment, 1994
Physical Sciences Governing Ctte. (U. Chgo) 1991-94

Elected Positions

College Council, 1987-89, 91-94, 2001-3, 2006-8, 2012-2017
Council of the University Senate, 2005-8, 2012-2015
Spokesman of the College Council, 1992-94, 2002-3
Physical Sciences Divisional Policy Ctte., 1994-95

Honors and Awards

Fellow of the American Physical Society, 2018
Don York Faculty Initiative Award (Neighborhood Schools Programs), 2014
Quantrell Award (Excellence in Teaching), 2001
Alfred P. Sloan Foundation Research Fellow, 1986
Presidential Young Investigator, 1985
A. H. Compton Lecturer, University of Chicago, 1983
Enrico Fermi Fellow, University of Chicago, 1981-83
Phi Beta Kappa, Stanford University, 1974

Graduate Students

Kevin Hildebrand, current, ATLAS Experiment.
Sam Meehan, PhD 2015, ATLAS Experiment, now postdoc at U Washington.
Chris Meyer, PhD 2014, ATLAS Experiment, now postdoc at U Pennsylvania.
Pedro Amaral, PhD 2003, OPAL Experiment, now in private industry (medical physics).
Andy Hocker, PhD 2000, OPAL Experiment, now Scientist at FNAL.
Steven Gensler, PhD 1996, OPAL Experiment, now Director of Engineering, Nanosys.

Current (and some past) Research

The ATLAS Experiment

This is my primary activity. In 2008 the Large Hadron Collider at CERN embarked on the highest center-of-mass hadron collisions ever. This machine carries on where LEP and the Fermilab Tevatron leave off. LEP-2 ended its program with a hint of a Higgs signal at the mass 115 GeV. The ATLAS detector at the LHC discovered a Higgs-like boson at 126 GeV and is now studying its properties. I am currently working on the search for exotic Higgs bosons and also working on refinements in jet definition and energy measurement.

After 2026 the LHC will operate at approximately five times the current intensity, leading to higher demands on the ATLAS trigger and electronics. This requires redesign of the Tile calorimeter electronics, both to send data out at a higher bandwidth, and also the electronics must have a higher tolerance to ambient radiation in the ATLAS cavern. Since 2012 I have been a leader in the Tile calorimeter upgrade R&D. I was co-leader of all the upgrade activities until 2015, when I became the Level-2 manager for both the US-Tile activity and also an ATLAS Tile Level-2 manager. I authored the 2015 Tile Scoping Document and was a lead editor of the 2018 Technical Design Report. Currently I am leading the effort to design and prototype new front-end boards for the Tile Upgrade.

The International Linear Collider (2002-2012)

I co-chaired the American LC Physics and Detector Group, I sat on the LC Steering Group of the Americas and the World-Wide Study of Physics and Detectors for LC. I was a member of the International Linear Collider committee on LC scope definition and the WWS editorial team for the Physics Detector Concept Report. I have co-organized the ALCPG Workshops held annually and also the LCWS international ILC workshops. My specific technical interest on ILC concerns the design of calorimeters optimized for particle flow algorithms. I was editor of the SID (Silicon Detector) R&D proposal.

University Leadership and Public Outreach Activities

I have had a long role in the structure of University research and the College through my tenures on the Council of the University Senate, the Provost's Council on Research (chair), the College Council (spokesperson), and the Physical Sciences Governing Committee. In 2006 I established the Enrico Fermi Interns Program, a summer program for 7th-graders in the Chicago Public Schools. This program brings students to the University for lectures on science and activities in the laboratory; in 2014 I won the York Faculty Initiative prize for this program. I work with the Chicago Council on Science and Technology to bring an appreciation of science to the general public through public lectures, panels, and blog posts. I also work with the Chicago-based 137 Films. I helped create their film "The Atom Smashers", in which I have a minor role. At the Chicago premier of the film I participated on an audience Q&A panel to an audience of 500. I also answered audience questions at the premier of another of their award-winning films, "The Believers", at the Chicago Film Festival. In 2013 I helped create and participated in the panel for "Critical Mass: How the

Discovery of the Higgs Bosons Swept the World". This event, at UChicago's Logan center, was a full-house during a blizzard!

Selected Publications (contributed significantly)

- [1] Y. Chan *et al.*, DESIGN AND PERFORMANCE OF A MODULARIZED NAI(TL) DETECTOR (THE CRYSTAL BALL PROTOTYPE). (TALK), IEEE Trans. Nucl. Sci. **25**, 333 (1978).
- [2] R. Partridge *et al.*, The Decay $J/\psi \rightarrow 3\gamma$ and a Search for the η_c , Phys. Rev. Lett. **44**, 712 (1980).
- [3] M. Oreglia *et al.*, Measurement of the Decays $\psi' \rightarrow \eta J/\psi$ and $\psi' \rightarrow \pi^0 J/\psi$, Phys. Rev. Lett. **45**, 959 (1980).
- [4] R. Partridge *et al.*, Observation of an eta(c) Candidate State with Mass 2978-MeV +- 9-MeV, Phys. Rev. Lett. **45**, 1150 (1980).
- [5] M. Oreglia, *A Study of the Reactions $\psi' \rightarrow \gamma\gamma\psi$* , PhD thesis, SLAC, 1980.
- [6] Crystal Ball, M. Oreglia *et al.*, Charmonium Studies With the Crystal Ball, in *ELECTROWEAK INTERACTIONS AND UNIFIED THEORIES. PROCEEDINGS, 15TH RENCONTRES DE MORIOND, LES ARCS, FRANCE, MARCH 9-21, 1980. VOL. 2*, pp. 69-82, 1980.
- [7] R. Partridge *et al.*, Measurement of Inclusive η Production in e^+e^- Interactions Near Charm Threshold, Phys. Rev. Lett. **47**, 760 (1981).
- [8] C. Edwards *et al.*, Observation of an eta(c)-prime Candidate State with Mass 3592-MeV +- 5-MeV, Phys. Rev. Lett. **48**, 70 (1982).
- [9] C. Edwards *et al.*, Observation of an eta eta Resonance in J/psi Radiative Decays, Phys. Rev. Lett. **48**, 458 (1982).
- [10] M. Oreglia *et al.*, A Study of the Reaction ψ' -> gamma gamma J/psi, Phys. Rev. **D25**, 2259 (1982).
- [11] C. Edwards *et al.*, Upper Limit for J/psi -> gamma Axion, Phys. Rev. Lett. **48**, 903 (1982).
- [12] C. Edwards *et al.*, Production of $\pi^0\pi^0$ and $\pi^0\eta$ in Photon - Photon Collisions, Phys. Lett. **B110**, 82 (1982).
- [13] D. Garfinkle *et al.*, RESULTS FROM THE CCFR NEUTRINO OSCILLATION EXPERIMENT, in *Dynamics and spectroscopy at high-energy: Proceedings, 11th SLAC summer institute on particle physics (SSI 83), Stanford, Calif., 18-29 Jul 1983*, 1983.
- [14] I. E. Stockdale *et al.*, Limits on Muon Neutrino Oscillations in the Mass Range 55-eV**2 ; Delta m**2 ; 800-eV**2, Phys. Rev. Lett. **52**, 1384 (1984).

- [15] I. E. Stockdale *et al.*, Search for ν_μ and $\bar{\nu}$ Oscillations in the Mass Range $15 - \text{eV}^2/c^4 < \delta M^2 < 1000 - \text{eV}^2/c^4$, *Z. Phys.* **C27**, 53 (1985), [Conf. Proc.C841031,258(1984)].
- [16] F. S. Merritt *et al.*, Hadron Shower Punchthrough for Incident Hadrons of Momentum 15-GeV/c, 25-GeV/c, 50-GeV/c, 100-GeV/c, 200-GeV/c, and 300-GeV/c, *Nucl. Instrum. Meth.* **A245**, 27 (1986).
- [17] J. Gaiser *et al.*, Charmonium Spectroscopy from Inclusive psi-prime and J/psi Radiative Decays, *Phys. Rev.* **D34**, 711 (1986).
- [18] K. Lang *et al.*, Neutrino Production of Dimuons, *Z. Phys.* **C33**, 483 (1987).
- [19] J.-G. An *et al.*, Influence of Gas Mixture and Primary Ionization on the Performance of Limited Streamer Mode Tubes, *Nucl. Instrum. Meth.* **A267**, 386 (1988).
- [20] J.-G. An *et al.*, A Study of the Selfquenched Streamer Mode Using a Nitrogen Laser, *Nucl. Instrum. Meth.* **A267**, 396 (1988).
- [21] S. R. Mishra *et al.*, Search for Neutral Heavy Leptons From Neutrino N Scattering, *Phys. Rev. Lett.* **59**, 1397 (1987).
- [22] M. J. Oreglia *et al.*, Electroweak processes observed in neutrino scattering by the CCFR Collaboration, in *High-energy physics. Proceedings, 24th International Conference, Munich, Germany, August 4-10, 1988*, pp. 924–929, 1988.
- [23] M. J. Oreglia *et al.*, Measurement of the strange quark sea from neutrino dimuon production at the Tevatron by the CCFR Collaboration., in *High-energy physics. Proceedings, 24th International Conference, Munich, Germany, August 4-10, 1988*, pp. 995–998, 1988.
- [24] B. A. Schumm *et al.*, Neutrino Production of Same Sign Dimuons, *Phys. Rev. Lett.* **60**, 1618 (1988).
- [25] S. R. Mishra *et al.*, A Study of Wrong Sign Single Muon Production in ν_μ - Nucleon Interaction, *Z. Phys.* **C44**, 187 (1989).
- [26] C. Foudas *et al.*, Neutrino Production of Opposite Sign Dimuons at Tevatron Energies, *Phys. Rev. Lett.* **64**, 1207 (1990), [,488(1989)].
- [27] S. R. Mishra *et al.*, Measurement of Inverse Muon Decay $\nu_\mu + e \rightarrow \mu^- + \nu_e$ at Fermilab Tevatron Energies 15-GeV - 600-GeV, *Phys. Rev. Lett.* **63**, 132 (1989).
- [28] OPAL, M. Z. Akrawy *et al.*, Measurement of the Z^0 Mass and Width with the OPAL Detector at LEP, *Phys. Lett.* **B231**, 530 (1989).
- [29] P. H. Sandler *et al.*, Hadron Shower Punchthrough and Muon Production by Hadrons of 40-GeV, 70-GeV and 100-GeV, *Phys. Rev.* **D42**, 759 (1990).
- [30] W. K. Sakumoto *et al.*, Calibration of the CCFR Target Calorimeter, *Nucl. Instrum. Meth.* **A294**, 179 (1990).

- [31] P. S. Auchincloss *et al.*, Measurement of the Inclusive Charged Current Cross-section for Neutrino and Anti-neutrino Scattering on Isoscalar Nucleons, *Z. Phys.* **C48**, 411 (1990).
- [32] OPAL, M. Z. Akrawy *et al.*, Searches for neutral Higgs bosons in e+ e- collisions at LEP, *Z. Phys.* **C49**, 1 (1991).
- [33] OPAL, K. Ahmet *et al.*, The OPAL detector at LEP, *Nucl. Instrum. Meth.* **A305**, 275 (1991).
- [34] P. G. Reutens *et al.*, A Measurement of the neutral current electroweak parameters using the Fermilab narrow band neutrino beam, *Z. Phys.* **C45**, 539 (1990).
- [35] OPAL, M. Z. Akrawy *et al.*, Mass Limits for a Standard Model Higgs Boson in e^+e^- Collisions at LEP, *Phys. Lett.* **B236**, 224 (1990).
- [36] OPAL, M. Z. Akrawy *et al.*, A Direct Search for New Charged Heavy Leptons at LEP, *Phys. Lett.* **B240**, 250 (1990).
- [37] S. R. Mishra *et al.*, Inverse Muon Decay, $\nu_\mu e \rightarrow \mu^- \nu_e$, at the Fermilab Tevatron, *Phys. Lett.* **B252**, 170 (1990).
- [38] OPAL, M. Z. Akrawy *et al.*, Limits on a light Higgs boson in e+ e- collisions at LEP, *Phys. Lett.* **B251**, 211 (1990).
- [39] B. J. King *et al.*, Measuring muon momenta with the CCFR neutrino detector, *Nucl. Instrum. Meth.* **A302**, 254 (1991).
- [40] W. K. Sakumoto *et al.*, A Measurement of TeV muon energy loss in iron, *Phys. Rev.* **D45**, 3042 (1992).
- [41] OPAL, M. Z. Akrawy *et al.*, Search for the minimal standard model Higgs boson in e+ e- collisions at LEP, *Phys. Lett.* **B253**, 511 (1991).
- [42] M. J. Oreglia, Rare decays of the Z0 and searches for new particles, *Nucl. Phys. Proc. Suppl.* **19**, 411 (1991), [411(1991)].
- [43] OPAL, P. D. Acton *et al.*, Decay mode independent search for a light Higgs boson and new scalars, *Phys. Lett.* **B268**, 122 (1991).
- [44] P. H. Sandler *et al.*, Neutrino production of same sign dimuons at the Fermilab Tevatron, *Z. Phys.* **C57**, 1 (1993).
- [45] OPAL, P. D. Acton *et al.*, A Search for doubly charged Higgs production in Z0 decays, *Phys. Lett.* **B295**, 347 (1992).
- [46] OPAL, P. D. Acton *et al.*, Search for anomalous production of high mass photon pairs in e+ e- collisions at LEP, *Phys. Lett.* **B311**, 391 (1993).

- [47] T. Kinnel *et al.*, Hadron shower energy and direction measurements using drift chambers, Nucl. Instrum. Meth. **A340**, 474 (1994), [Erratum: Nucl. Instrum. Meth. **A365**, 607 (1995)].
- [48] J. D. Hobbs *et al.*, A Modular electronic readout system for the OPAL electromagnetic presampler, Nucl. Instrum. Meth. **A325**, 494 (1993).
- [49] OPAL, R. Akers *et al.*, Search for the minimal Standard Model Higgs boson, Phys. Lett. **B327**, 397 (1994).
- [50] OPAL, R. Akers *et al.*, Search for Neutral Higgs Bosons in the Minimal Supersymmetric Extension of the Standard Model, Z. Phys. **C64**, 1 (1994).
- [51] OPAL, R. Akers *et al.*, Measurement of Gamma ($Z^0 \rightarrow b \text{ anti-}b$) / Gamma ($Z^0 \rightarrow$ hadrons) using a double tagging method, Z. Phys. **C65**, 17 (1995).
- [52] OPAL, G. Alexander *et al.*, Search for charged Higgs bosons using the OPAL detector at LEP, Phys. Lett. **B370**, 174 (1996).
- [53] OPAL, G. Alexander *et al.*, Search for a narrow resonance in Z^0 decays into hadrons and isolated photons, Z. Phys. **C71**, 1 (1996).
- [54] OPAL, G. Alexander *et al.*, A Study of four fermion final states with high multiplicity at LEP, Phys. Lett. **B376**, 315 (1996).
- [55] OPAL, G. Alexander *et al.*, Search for neutral Higgs bosons in Z^0 decays using the OPAL detector at LEP, Z. Phys. **C73**, 189 (1997).
- [56] OPAL, K. Ackerstaff *et al.*, Measurement of the mass of the W boson in e^+e^- collisions at $S^{(1/2)} = 161\text{-GeV}$, Phys. Lett. **B389**, 416 (1996).
- [57] OPAL, K. Ackerstaff *et al.*, Search for the standard model Higgs boson in e^+e^- collisions at $s^{*(1/2)} = 161\text{-GeV}$, Phys. Lett. **B393**, 231 (1997).
- [58] OPAL, K. Ackerstaff *et al.*, A Measurement of $\Gamma(\text{cb})$ using anti- $B^0 \rightarrow D^* + \text{lepton} + \text{anti-lepton} + \text{neutrino}$ decays, Phys. Lett. **B395**, 128 (1997).
- [59] ATLAS, A. Airapetian *et al.*, ATLAS calorimeter performance Technical Design Report, (1996).
- [60] OPAL, K. Ackerstaff *et al.*, Search for the standard model higgs boson in e^+e^- collisions at $s^{*(1/2)} = 161\text{-GeV} - 172\text{-GeV}$, Eur. Phys. J. **C1**, 425 (1998), hep-ex/9709003.
- [61] OPAL, K. Ackerstaff *et al.*, Measurement of the W boson mass and W^+W^- production and decay properties in e^+e^- collisions at $\sqrt{s} = 172\text{-GeV}$, Eur. Phys. J. **C1**, 395 (1998), hep-ex/9709006.
- [62] OPAL, K. Ackerstaff *et al.*, Search for a massive di-photon resonance at $S^{*(1/2)} = 91\text{-GeV} - 172\text{-GeV}$, Eur. Phys. J. **C1**, 31 (1998), hep-ex/9709022.

- [63] OPAL, K. Ackerstaff *et al.*, Search for charged Higgs bosons in e^+e^- collisions at $S^{(1/2)} = 130\text{-GeV} - 172\text{-GeV}$, Phys. Lett. **B426**, 180 (1998), hep-ex/9802004.
- [64] OPAL, K. Ackerstaff *et al.*, A Search for neutral Higgs bosons in the MSSM and models with two scalar field doublets, Eur. Phys. J. **C5**, 19 (1998), hep-ex/9803019.
- [65] OPAL, K. Ackerstaff *et al.*, Search for Higgs bosons and new particles decaying into two photons at $S^{*(1/2)} = 183\text{-GeV}$, Phys. Lett. **B437**, 218 (1998), hep-ex/9808014.
- [66] OPAL, G. Abbiendi *et al.*, Search for Higgs bosons in e^+e^- collisions at 183-GeV, Eur. Phys. J. **C7**, 407 (1999), hep-ex/9811025.
- [67] OPAL, G. Abbiendi *et al.*, Measurement of the W mass and width in e^+e^- collisions at 183-GeV, Phys. Lett. **B453**, 138 (1999), hep-ex/9901025.
- [68] ATLAS, A. Airapetian *et al.*, ATLAS: Detector and physics performance technical design report. Volume 1, (1999).
- [69] ATLAS, A. Airapetian *et al.*, ATLAS: Detector and physics performance technical design report. Volume 2, (1999).
- [70] W. B. Atwood *et al.*, Beam test of Gamma-ray Large Area Space Telescope components, Nucl. Instrum. Meth. **A446**, 444 (2000), physics/9905002.
- [71] OPAL, G. Abbiendi *et al.*, Search for Higgs bosons and other massive states decaying into two photons in e^+e^- collisions at 189-GeV, Phys. Lett. **B464**, 311 (1999), hep-ex/9907060.
- [72] M. J. Oreglia, Searches for 'other' Higgs bosons at LEP, in *Proceedings, International Europhysics Conference on High energy physics (EPS-HEP 1999): Tampere, Finland, July 15-21, 1999*, pp. 811–813, 1999, hep-ex/9909002.
- [73] OPAL, G. Abbiendi *et al.*, Search for neutral Higgs bosons in e^+e^- collisions at $S^{*(1/2)}$ approximately equals 189-GeV, Eur. Phys. J. **C12**, 567 (2000), hep-ex/9908002.
- [74] OPAL, G. Abbiendi *et al.*, Search for R-parity violating decays of scalar fermions at LEP, Eur. Phys. J. **C12**, 1 (2000), hep-ex/9904015.
- [75] OPAL, G. Abbiendi *et al.*, Search for unstable heavy and excited leptons at LEP 2, Eur. Phys. J. **C14**, 73 (2000), hep-ex/0001056.
- [76] OPAL, G. Abbiendi *et al.*, Precision luminosity for Z^0 line shape measurements with a silicon tungsten calorimeter, Eur. Phys. J. **C14**, 373 (2000), hep-ex/9910066.
- [77] OPAL, G. Abbiendi *et al.*, Two Higgs doublet model and model independent interpretation of neutral Higgs boson searches, Eur. Phys. J. **C18**, 425 (2001), hep-ex/0007040.
- [78] OPAL, G. Abbiendi *et al.*, Measurement of the mass and width of the W boson in e^+e^- collisions at 189-GeV, Phys. Lett. **B507**, 29 (2001), hep-ex/0009018.

- [79] OPAL, G. Abbiendi *et al.*, Search for the standard model Higgs boson in e^+e^- collisions at $s^{**}(1/2)$ approximately = 192-GeV - 209-GeV, Phys. Lett. **B499**, 38 (2001), hep-ex/0101014.
- [80] GLAST, E. do Couto e Silva *et al.*, Results from the beam test of the engineering model of the GLAST large area telescope, Nucl. Instrum. Meth. **A474**, 19 (2001).
- [81] OPAL, G. Abbiendi *et al.*, Search for Yukawa production of a light neutral Higgs boson at LEP, Eur. Phys. J. **C23**, 397 (2002), hep-ex/0111010.
- [82] OPAL, G. Abbiendi *et al.*, Search for doubly charged Higgs bosons with the OPAL detector at LEP, Phys. Lett. **B526**, 221 (2002), hep-ex/0111059.
- [83] OPAL, G. Abbiendi *et al.*, Decay mode independent searches for new scalar bosons with the OPAL detector at LEP, Eur. Phys. J. **C27**, 311 (2003), hep-ex/0206022.
- [84] OPAL, G. Abbiendi *et al.*, Search for associated production of massive states decaying into two photons in e^+e^- annihilations at $\sqrt{s} = 88\text{-GeV}$ to 209-GeV, Phys. Lett. **B544**, 44 (2002), hep-ex/0207027.
- [85] OPAL, G. Abbiendi *et al.*, Search for a low mass CP odd Higgs boson in e^+e^- collisions with the OPAL detector at LEP-2, Eur. Phys. J. **C27**, 483 (2003), hep-ex/0209068.
- [86] OPAL, G. Abbiendi *et al.*, A Measurement of semileptonic B decays to narrow orbitally excited charm mesons, Eur. Phys. J. **C30**, 467 (2003), hep-ex/0301018.
- [87] OPAL, G. Abbiendi *et al.*, Search for the standard model Higgs boson with the OPAL detector at LEP, Eur. Phys. J. **C26**, 479 (2003), hep-ex/0209078.
- [88] OPAL, G. Abbiendi *et al.*, Multiphoton production in e^+e^- collisions at $s^{**}(1/2) = 181\text{-GeV}$ to 209-GeV, Eur. Phys. J. **C26**, 331 (2003), hep-ex/0210016.
- [89] OPAL, DELPHI, LEP Working Group for Higgs boson searches, ALEPH, L3, R. Barate *et al.*, Search for the standard model Higgs boson at LEP, Phys. Lett. **B565**, 61 (2003), hep-ex/0306033.
- [90] Neutrino Factory and Muon Collider, M. M. Alsharoa *et al.*, Recent progress in neutrino factory and muon collider research within the Muon collaboration, Phys. Rev. ST Accel. Beams **6**, 081001 (2003), hep-ex/0207031.
- [91] OPAL, G. Abbiendi *et al.*, Flavor independent search for Higgs bosons decaying into hadronic final states in e^+e^- collisions at LEP, Phys. Lett. **B597**, 11 (2004), hep-ex/0312042.
- [92] S. Dawson and M. Oreglia, Physics opportunities with a TeV linear collider, Ann. Rev. Nucl. Part. Sci. **54**, 269 (2004), hep-ph/0403015.
- [93] OPAL, G. Abbiendi *et al.*, Study of Bose-Einstein correlations in $e^+e^- \rightarrow W^+W^-$ events at LEP, Eur. Phys. J. **C36**, 297 (2004), hep-ex/0403055.

- [94] OPAL, G. Abbiendi *et al.*, Search for neutral Higgs boson in CP-conserving and CP-violating MSSM scenarios, *Eur. Phys. J.* **C37**, 49 (2004), hep-ex/0406057.
- [95] OPAL, G. Abbiendi *et al.*, Flavor independent h0A0 search and two Higgs doublet model interpretation of neutral Higgs boson searches at LEP, *Eur. Phys. J.* **C40**, 317 (2005), hep-ex/0408097.
- [96] K. Desch *et al.*, The Linear collider physics case: International response to the technology independent questions posed by the International Technology Recommendation Panel, in *Linear colliders. Proceedings, International Conference, LCWS 2004, Paris, France, April 19-23, 2004*, pp. 87–93, 2004, hep-ph/0411159.
- [97] OPAL, G. Abbiendi *et al.*, Measurement of the mass and width of the W boson, *Eur. Phys. J.* **C45**, 307 (2006), hep-ex/0508060.
- [98] K. Anderson *et al.*, Design of the front-end analog electronics for the ATLAS tile calorimeter, *Nucl. Instrum. Meth.* **A551**, 469 (2005).
- [99] DELPHI, OPAL, ALEPH, LEP Working Group for Higgs Boson Searches, L3, S. Schael *et al.*, Search for neutral MSSM Higgs bosons at LEP, *Eur. Phys. J.* **C47**, 547 (2006), hep-ex/0602042.
- [100] OPAL, G. Abbiendi *et al.*, Search for invisibly decaying Higgs bosons with large decay width using the OPAL detector at LEP, *Eur. Phys. J.* **C49**, 457 (2007), hep-ex/0610056.
- [101] P. Adragna *et al.*, The ATLAS hadronic tile calorimeter: From construction toward physics, *IEEE Trans. Nucl. Sci.* **53**, 1275 (2006).
- [102] OPAL, G. Abbiendi *et al.*, Search for invisibly decaying Higgs bosons in $e^+ e^- \rightarrow Z^0 h^0$ production at $s^{*1/2} = 183\text{-GeV} - 209\text{-GeV}$, *Phys. Lett.* **B682**, 381 (2010), 0707.0373.
- [103] J. Brau *et al.*, International Linear Collider reference design report. 1: Executive summary. 2: Physics at the ILC. 3: Accelerator. 4: Detectors, (2007).
- [104] ILC, A. Puntambekar *et al.*, ILC Reference Design Report: ILC Global Design Effort and World Wide Study, (2007), 0712.1950.
- [105] OPAL, G. Abbiendi *et al.*, Measurement of the $e^+ e^- \rightarrow W^+ W^-$ cross section and W decay branching fractions at LEP, *Eur. Phys. J.* **C52**, 767 (2007), 0708.1311.
- [106] CALICE, C. Adloff *et al.*, CALICE Report to the Calorimeter & Review Panel, (2007), 0707.1245.
- [107] ILC, G. Aarons *et al.*, International Linear Collider Reference Design Report Volume 2: Physics at the ILC, (2007), 0709.1893.
- [108] ILC, T. Behnke *et al.*, ILC Reference Design Report Volume 4 - Detectors, (2007), 0712.2356.

- [109] ATLAS, G. Aad *et al.*, The ATLAS Experiment at the CERN Large Hadron Collider, JINST **3**, S08003 (2008).
- [110] ATLAS, G. Aad *et al.*, Expected Performance of the ATLAS Experiment - Detector, Trigger and Physics, (2009), 0901.0512.
- [111] P. Adragna *et al.*, Testbeam studies of production modules of the ATLAS tile calorimeter, Nucl. Instrum. Meth. **A606**, 362 (2009).
- [112] ATLAS, S. Asai *et al.*, Jet energy scale: In-situ calibration strategies, (2009).
- [113] H. Aihara *et al.*, SiD Letter of Intent, (2009), 0911.0006.
- [114] ATLAS, G. Aad *et al.*, Readiness of the ATLAS Tile Calorimeter for LHC collisions, Eur. Phys. J. **C70**, 1193 (2010), 1007.5423.
- [115] ATLAS, G. Aad *et al.*, Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector, Eur. Phys. J. **C71**, 1512 (2011), 1009.5908.
- [116] ATLAS, G. Aad *et al.*, Studies of the performance of the ATLAS detector using cosmic-ray muons, Eur. Phys. J. **C71**, 1593 (2011), 1011.6665.
- [117] P. Adragna *et al.*, Measurement of pion and proton response and longitudinal shower profiles up to 20 nuclear interaction lengths with the ATLAS tile calorimeter, Nucl. Instrum. Meth. **A615**, 158 (2010).
- [118] ATLAS, G. Aad *et al.*, Charged-particle multiplicities in pp interactions at $\sqrt{s} = 900$ GeV measured with the ATLAS detector at the LHC, Phys. Lett. **B688**, 21 (2010), 1003.3124.
- [119] F. Tang *et al.*, Design of the front-end readout electronics for ATLAS tile calorimeter at the sLHC, in *Proceedings, 17th Conference on Computing Applications in Nuclear and Plasma Sciences on Real Time (RT2010): Lisbon, Portugal, May 24-28, 2010*, 2010.
- [120] ATLAS, G. Aad *et al.*, Search for New Physics in Dijet Mass and Angular Distributions in pp Collisions at $\sqrt{s} = 7$ TeV Measured with the ATLAS Detector, New J. Phys. **13**, 053044 (2011), 1103.3864.
- [121] ATLAS, G. Aad *et al.*, Measurement of inclusive jet and dijet production in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, Phys. Rev. **D86**, 014022 (2012), 1112.6297.
- [122] ATLAS, G. Aad *et al.*, Measurement of the production cross section for W-bosons in association with jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, Phys. Lett. **B698**, 325 (2011), 1012.5382.
- [123] ATLAS, G. Aad *et al.*, Measurement of Dijet Azimuthal Decorrelations in pp Collisions at $\sqrt{s} = 7$ TeV, Phys. Rev. Lett. **106**, 172002 (2011), 1102.2696.

- [124] S. Muschter *et al.*, An early slice prototype for the upgraded readout electronics of TileCal, in *Proceedings, 2011 IEEE Nuclear Science Symposium and Medical Imaging Conference (NSS/MIC 2011): Valencia, Spain, October 23-29, 2011*, pp. 836–840, Geneva, 2011, CERN, CERN.
- [125] ATLAS, G. Aad *et al.*, Study of jets produced in association with a W boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *Phys. Rev.* **D85**, 092002 (2012), 1201.1276.
- [126] ATLAS, G. Aad *et al.*, Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment, *JHEP* **05**, 128 (2012), 1203.4606.
- [127] ATLAS, G. Aad *et al.*, Search for resonant WZ production in the $WZ \rightarrow \ell\nu\ell'\ell'$ channel in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector, *Phys. Rev.* **D85**, 112012 (2012), 1204.1648.
- [128] ATLAS, G. Aad *et al.*, ATLAS measurements of the properties of jets for boosted particle searches, *Phys. Rev.* **D86**, 072006 (2012), 1206.5369.
- [129] ATLAS, M. Oreglia, Jet Studies in ATLAS, *Nucl. Phys. Proc. Suppl.* **234**, 43 (2013).
- [130] ATLAS, G. Aad *et al.*, Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, *Phys. Lett.* **B716**, 1 (2012), 1207.7214.
- [131] ATLAS, G. Aad *et al.*, Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector, *Eur. Phys. J.* **C72**, 2157 (2012), 1205.0701.
- [132] ATLAS, G. Aad *et al.*, Measurement of WZ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, *Eur. Phys. J.* **C72**, 2173 (2012), 1208.1390.
- [133] M. Oreglia, K. Anderson, E. Ramberg, and G. Drake, ATLAS Tile Calorimeter Upgrade Electronics Test, (2012).
- [134] ATLAS, G. Aad *et al.*, ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s} = 7$ TeV, *JHEP* **01**, 029 (2013), 1210.1718.
- [135] D. Eriksson *et al.*, A prototype for the upgraded readout electronics of TileCal, *JINST* **7**, C02006 (2012).
- [136] ATLAS, G. Aad *et al.*, A particle consistent with the Higgs Boson observed with the ATLAS Detector at the Large Hadron Collider, *Science* **338**, 1576 (2012).
- [137] ATLAS, G. Aad *et al.*, Jet energy measurement with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV, *Eur. Phys. J.* **C73**, 2304 (2013), 1112.6426.
- [138] ATLAS, G. Aad *et al.*, Jet energy resolution in proton-proton collisions at $\sqrt{s} = 7$ TeV recorded in 2010 with the ATLAS detector, *Eur. Phys. J.* **C73**, 2306 (2013), 1210.6210.

- [139] ATLAS, G. Aad *et al.*, Search for resonant diboson production in the $WW/WZ\ell\ell$ decay channels with the ATLAS detector at $\sqrt{s} = 7$ TeV, Phys. Rev. **D87**, 112006 (2013), 1305.0125.
- [140] H. Abramowicz *et al.*, The International Linear Collider Technical Design Report - Volume 4: Detectors, (2013), 1306.6329.
- [141] ATLAS, G. Aad *et al.*, Search for New Physics in the Dijet Mass Distribution using 1 fb^{-1} of pp Collision Data at $\sqrt{s} = 7$ TeV collected by the ATLAS Detector, Phys. Lett. **B708**, 37 (2012), 1108.6311.
- [142] ATLAS, G. Aad *et al.*, Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, Phys. Lett. **B712**, 22 (2012), 1112.5755.
- [143] ATLAS, G. Aad *et al.*, Search for the Higgs boson in the $H \rightarrow WW \rightarrow \ell\nu\ell\ell$ decay channel at $\sqrt{s} = 7$ TeV with the ATLAS detector, Phys. Lett. **B718**, 391 (2012), 1206.6074.
- [144] ATLAS, G. Aad *et al.*, Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 2.76$ TeV and comparison to the inclusive jet cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector, Eur. Phys. J. **C73**, 2509 (2013), 1304.4739.
- [145] ATLAS, S. Muschter *et al.*, Development of a readout link board for the demonstrator of the ATLAS Tile calorimeter upgrade, JINST **8**, C03025 (2013).
- [146] F. Tang *et al.*, Design of the front-end readout electronics for ATLAS Tile Calorimeter at the sLHC, IEEE Trans. Nucl. Sci. **60**, 1255 (2013).
- [147] ATLAS TileCal Group, M. Oreglia, Upgrading the ATLAS Tile Calorimeter Electronics, in *Proceedings, International Conference on Calorimetry for the High Energy Frontier (CHEF 2013): Paris, France, April 22-25, 2013*, pp. 387–393, 2013.
- [148] F. Tang *et al.*, Upgrade analog readout and digitizing system for ATLAS TileCal demonstrator, in *Proceedings, 2013 IEEE Nuclear Science Symposium and Medical Imaging Conference (NSS/MIC 2013): Seoul, Korea, October 26-November 2, 2013*, 2013.
- [149] ATLAS Tile Calorimeter System, H. Akerstedt *et al.*, Radiation tolerance and mitigation strategies for FPGA:s in the ATLAS TileCal Demonstrator, in *Proceedings, 2013 IEEE Nuclear Science Symposium and Medical Imaging Conference (NSS/MIC 2013): Seoul, Korea, October 26-November 2, 2013*, 2013.
- [150] S. Muschter *et al.*, Development of a digital readout board for the ATLAS Tile Calorimeter upgrade demonstrator, JINST **9**, C01001 (2014).
- [151] M. Demarteau *et al.*, Planning the Future of U.S. Particle Physics (Snowmass 2013): Chapter 8: Instrumentation Frontier, in *Proceedings, Community Summer Study 2013: Snowmass on the Mississippi (CSS2013): Minneapolis, MN, USA, July 29-August 6, 2013*, 2014, 1401.6116.

- [152] ATLAS, G. Aad *et al.*, Measurement of dijet cross sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector, *JHEP* **05**, 059 (2014), 1312.3524.
- [153] ATLAS Tile Calorimeter Group, F. Tang *et al.*, Design of Main Board for ATLAS TileCal Demonstrator, in *Proceedings, 19th Real Time Conference (RT2014): Nara, Japan, May 26-30, 2014*, 2014.
- [154] A. Brandt *et al.*, Fermilab Testbeam Facility Annual Report FY 2014, (2015).
- [155] ATLAS, G. Aad *et al.*, Search for resonant diboson production in the $\ell\ell q\bar{q}$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, *Eur. Phys. J.* **C75**, 69 (2015), 1409.6190.
- [156] ATLAS, G. Aad *et al.*, Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb^{-1} of data with the ATLAS detector, *JHEP* **02**, 153 (2015), 1410.8857, [Erratum: *JHEP*09,141(2015)].
- [157] ATLAS, G. Aad *et al.*, Search for new phenomena in the dijet mass distribution using $p-p$ collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector, *Phys. Rev.* **D91**, 052007 (2015), 1407.1376.
- [158] ATLAS, G. Aad *et al.*, Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s} = 8$ TeV Measured with the ATLAS Detector, *Phys. Rev. Lett.* **114**, 221802 (2015), 1504.00357.
- [159] ATLAS, G. Aad *et al.*, Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, *JHEP* **08**, 105 (2015), 1505.04306.
- [160] ATLAS, G. Aad *et al.*, Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, *JHEP* **12**, 055 (2015), 1506.00962.
- [161] ATLAS TileCal, H. kerstedt *et al.*, Reliable and redundant FPGA based read-out design in the ATLAS TileCal Demonstrator, p. 7097542 (2014), 1406.5848, [IEEE Trans. Nucl. Sci.62,2129(2015)].
- [162] F. Tang *et al.*, Upgrade Analog Readout and Digitizing System for ATLAS TileCal Demonstrator, *IEEE Trans. Nucl. Sci.* **62**, 1045 (2015).
- [163] ATLAS, G. Aad *et al.*, Search for new phenomena in dijet mass and angular distributions from pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector, *Phys. Lett.* **B754**, 302 (2016), 1512.01530.
- [164] ATLAS, G. Aad *et al.*, Combination of searches for WW , WZ , and ZZ resonances in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, *Phys. Lett.* **B755**, 285 (2016), 1512.05099.

- [165] ATLAS, G. Aad *et al.*, A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector, *Eur. Phys. J.* **C76**, 238 (2016), 1509.04939.
- [166] ATLAS, M. Aaboud *et al.*, Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *JHEP* **09**, 173 (2016), 1606.04833.
- [167] ATLAS, M. Aaboud *et al.*, Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Lett.* **B764**, 11 (2017), 1607.06363.
- [168] ATLAS, M. Aaboud *et al.*, Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Rev.* **D96**, 072002 (2017), 1703.09665.
- [169] ATLAS, M. Aaboud *et al.*, Measurement of $WW/WZ \rightarrow \ell\nu qq'$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings, *Eur. Phys. J.* **C77**, 563 (2017), 1706.01702.
- [170] ATLAS, M. Aaboud *et al.*, Measurements of $t\bar{t}$ differential cross-sections of highly boosted top quarks decaying to all-hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector, (2018), 1801.02052.